

**2019 TAPT Special Needs Team Safety Rodeo
Knowledge Exam**

Driver Name: _____ District: _____

Attendant Name: _____

Multiple Choice: Place the letter of the correct response in the space provided.

PLEASE PRINT CLEARLY

1. _____ In determining the passenger capacity of a school bus for purposes other than actual passenger load, any location in a school bus intended for securement of a wheelchair during vehicle operation shall be regarded as _____ designated seating positions.
 - a) 4
 - b) 3
 - c) 5
 - d) 1

2. _____ When was No child Left Behind established:
 - a) 1973
 - b) 1995
 - c) 1986
 - d) 2002

3. _____ Infants and toddlers, birth through age 2, with disabilities and their families receive early intervention services under IDEA Part_____.
 - a) A
 - b) F
 - c) G
 - d) C

4. _____ The term 'Free Appropriate Public Education (FAPE)' means special education and related services that:
- a) Have been provided at public expense, under public supervision and direction, and without charge.
 - b) Meet the standards of the State Educational Agency.
 - c) Include an appropriate preschool, elementary school, or secondary school education in the state involved.
 - d) All of the above
5. _____ Which of the following is the best example of the Most Restrictive Environment?
- a) Student rides the school bus with non-disabled peers
 - b) Student rides a modified bus with student with disabilities without an attendant.
 - c) Student rides a specialized bus alone with an attendant
 - d) Student rides a modified bus with student with disabilities with an attendant.
6. _____ The following should be a part of a students individualized education program team:
- a) Parent
 - b) School Administration
 - c) Transportation Department
 - d) All of the above
7. _____ Established in the IDEA is the right for children with qualifying disabilities from birth to ___ years of age to a "free appropriate public education".
- a) 18
 - b) 21
 - c) 24
 - d) 26
8. _____ About _____% of all students have some disability.
- a) 25%
 - b) 32%
 - c) 48.9%
 - d) 13.1%
9. _____ Students with disabilities currently have a sports participation rate that is an estimated ___ to ___ percent less than their counterparts.
- a) 13% to 59%

- b) 25% to 35%
- c) 12% to 48%
- d) 50% to 75%

10. _____ Federal Motor Vehicle Safety Standard 208 refers to:
- a) Occupant Crash Protection
 - b) School Bus Seat & Crash Protection
 - c) Seat Belt Anchorages
 - d) None of the above

True/False: Place the letter of the correct response in the space provided.

11. _____ Fuel tank(s) for vehicles of less than 54 passenger capacity powered by LPG or CNG shall have a minimum 40-gallon capacity. Fuel tank(s) for vehicles of 54 or more passenger capacity powered by LPG or CNG shall have a minimum 60-gallon capacity.
12. _____ It is possible for a school district to be required to provide specialized transportation services to a student with disabilities who is not in special education.
13. _____ Information provided to transportation staff to assist in the orderly and safe transportation of a student, including disabling condition, medical/health issues, or other personal characteristics or information, is protected by the provisions of the Family Educational Rights and Privacy Act (FERPA).
14. _____ All lap boards or trays and ambulation equipment that attach to wheelchairs shall be removed and secured during the time the child is transported in the school bus.
15. _____ Any time a child's special need affects transportation, representatives of school transportation services and other school staff with appropriate knowledge and expertise should be included in the meeting to help develop the transportation plan.
16. _____ The Federal Motor Vehicle Safety Standard 213 refers to the Flammability of Interior Materials.

17. _____ Overall width of bus shall not exceed 256 inches, excluding accessories.

18. _____ You should never install a CSRS using lower anchors and the seat belt at the same time unless specifically allowed by both the seat and vehicle manufactures.

19. _____ In a frontal crash, the rear-facing CSRS cradles and moves away from the child.

20. _____ The Multi-Function School Activity Bus (MFSAB) must meet all federal standards for a school bus other than traffic control devices.